

"Express Mail" mailing label number EL680413455US

Date of Deposit January 8, 2001

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" services under 37 C.F.R. 1.10 on the date indicated above and is addressed to the Commissioner of Patents and Trademarks, Washington, D.C. 20231.

Typed Name of Person Mailing Paper or Fee: Laurie Lamoureux

Signature: *L. Lamoureux*

**PATENT APPLICATION  
DOCKET NO. 10003916-1**

**DELIVERING A FILE TO A SERVER FOR PRINTING**

**INVENTOR**  
James S. Boyce

10003916-1 010001

**DELIVERING A FILE TO A SERVER FOR PRINTING**FIELD OF THE INVENTION

5           This invention relates in general to file printing and, more particularly, to a system and method for delivering a file to a server for printing.

BACKGROUND OF THE INVENTION

Conventionally, in order to print a file, an application is required into  
10   which the file is opened. Once the file is opened in the application, the file may be printed from the application. During the printing process, the application loads a print driver. The print driver converts the file to a format readable by a printer and initiates a data stream to the printer, or intermediately to a print server.

15           Computer files are each formatted to be read by a specific type of application. For example, portable data format (PDF) files are formatted to be read by a PDF file reader. Not all applications are able to read all file types. As a result, various applications are required to print the various file types.

Many output devices are able to directly receive certain file types and  
20   generate a hard copy output from files of these types. Traditionally, printing a file of one of these print ready file types has required an application into which the file was opened. The file was then printed from within the application. The print driver loaded by the application merely initiated a data stream of the unmodified file contents to the printer or print server.

25           For print ready file types, the application and driver are required only to initiate the data stream. Without the correct application to open the file, a user would be unable to print the file.

SUMMARY OF THE INVENTION

30           According to principles of the present invention, a file is delivered from a client to a server for printing. A path and a name of the file are received. A file

type of the file is discovered. A write of the file to the server is initiated if the file is print ready. The file is written to the server by providing the contents of the file to the server. A user interface for providing a user with printing options is opened.

- 5       According to further principles of the present invention, the file type of the file is discovered either by analyzing the contents of the file or comparing the extension of the file to a list of print ready extensions.

- According to further principles of the present invention, contents of the file are analyzed to discover elements irresolvable by a printer and the elements  
10      of the file irresolvable by the printer are resolved before the file is written to the server.

#### DESCRIPTION OF THE DRAWINGS

- Figure 1 is a block diagram representing one embodiment of the system  
15      of the present invention delivering a file from a client to a server for printing.

      Figure 2 is a flow chart illustrating one embodiment of the method of the present invention delivering a file from a client to a server for printing.

#### DETAILED DESCRIPTION OF THE INVENTION

- 20      Illustrated in Figure 1 is a system 2 for outputting a document. System 2 includes client 4, server 6, and output device 8. Output device 8 is any device that produces output onto print media. Examples of output device 8 include a printer, a copier, and a multifunction device.

- Server 6 is any device able to receive a stream of data from client 4 and  
25      communicate the data stream to output device 8. In one embodiment, server 6 is embodied separately from output device 8. Alternatively, server 6 is embodied within output device 8.

      Server 6 optionally includes a user interface 10. User interface 10 is any interface openable from client 4 allowing a user of client 4 to select printing

options for a file to be output by output device 8. Alternatively, user interface 10 resides on client 4.

Client 4 is any device or system, such as a specific or general purpose computer, that includes a means, such as a processor, for processing executable code. Client 4 includes program 12, a storage device 14, and optionally a list of print ready file types 16, an application 18 for opening file types unreadable for printing, a printer driver 20, a port monitor 22, and a browser 24.

Program 12 is any combination of executable instructions and code for carrying out the method steps of the present invention for delivering a file from client 4 to server 6 for printing. Program 12 includes originator 26, investigator 28, resolver 30, conveyer 32, and launcher 34. Investigator 28 optionally includes comparator 36 and examiner 38.

Storage device 14 is any device for storing data or executable code. Storage device 14 may also be a program storage device tangibly embodying a program, applet, or instructions executable by client 4 for performing the method steps of the present invention executable by client 4. Storage device 14 may be any type of storage media such as magnetic, optical, or electronic storage media. Although depicted as integral to client 4, storage device 14 is alternatively embodied separate from client 4 and accessible by client 4.

Browser 24 is any combination of hardware and executable code for viewing and interacting with user interface 10. For example, the browser may be an Internet browser, such as Netscape Navigator. Where user interface 10 resides on client 4, browser 24 may not be necessary.

Figure 2 is a flow chart representing steps of one embodiment of the present invention. Although the steps represented in Figure 2 are presented in a specific order, the present invention encompasses variations in the order of steps. Furthermore, additional steps may be executed between the steps illustrated in Figure 2 without departing from the scope of the present invention.

Originator 26 receives (40) the path and name of a file. The path and name of the file are used by program 12 when performing any action on the file.

Receipt (40) of the path and name of the file is accomplished in any manner. For example, a computer icon representing the file is dropped onto a computer icon representing program 12. Many operating systems for computers are able to translate this action into a delivery of the name and path of the file to

5 originator 26 of program 12.

The file type of the file is discovered (42) by investigator 28. The file type of the file may be discovered (42) in any number of ways. For example, file names often contain an extension. The extension may be compared by comparator 36 to print ready extensions in list 16 of print ready extensions. In

10 another example, the file type of the file is discovered by examiner 38 analyzing the contents of the file to discover the file type.

If the file type is realized to be one that is not print ready, program 12 discovers (44) an application 18 associated with the file type. In one embodiment, comparator 36 realizes the file type is not a print ready file type.

15 Many operating systems include a list for discovering (44) an application 18 associated with a file type.

Application 18 is opened (46) with instructions to load the file and print the file. Driver 20 is initiated (48) by application 18. Driver 20 converts the file to a format readable by output device 8 and transfers (50) the file to port

20 monitor 22. Port monitor 22 transmits (52) the converted file to server 6. Alternatively, step 52 is omitted and instead the converted file is analyzed (54) for printer irresolvable elements. The converted file is then processed as described below as if it were a print ready file.

If the file type is realized to be a print ready file type, the file may be

25 printed without operation of application 18, driver 20, and port monitor 22. Examples of print ready file types include portable data format (PDF) and postscript (PS) file types. In one embodiment, comparator 36 realizes the file type is a print ready file type.

Optionally, resolver 30 analyzes (54) the file searching for elements of the

30 file irresolvable by output device 8. Irresolvable elements include fonts, images,

patterns, and other files not resident on output device 8. Resolver 30 resolves 56 all elements irresolvable by output device 8.

Conveyer 32 initiates (58) a write of the file to server 6. The file is written to server 6 by providing the contents of the file to server 6. Optionally, 5 launcher 34 launches browser 24 with instructions to open (60) user interface 10. User interface 10 queries (62) a user for printing instructions. Server 6 routes (64) the file along with any printing instructions to output device 8.

The foregoing description is only illustrative of the invention. Various alternatives and modifications can be devised by those skilled in the art without 10 departing from the invention. Accordingly, the present invention embraces all such alternatives, modifications, and variances that fall within the scope of the appended claims.

09/25/15 1:01:08 PM